



Disclaimer & Competent Persons Statement

This presentation is for information purposes only. Neither this presentation nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction. This presentation may not be distributed in any jurisdiction except in accordance with the legal requirements applicable in such jurisdiction. Recipients should inform themselves of the restrictions that apply in their own jurisdiction. A failure to do so may result in a violation of securities laws in such jurisdiction. This presentation does not constitute financial product advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this presentation are not intended to represent recommendations of particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments. To the maximum extent permitted by law, Breaker does not warrant the accuracy, currency or completeness of the information in this presentation, nor the future performance of the Company, and will not be responsible for any loss or damage arising from the use of the information.

Certain statements contained in this presentation, including information as to the future financial or operating performance of Breaker Resources NL (Breaker) and its projects, are forward-looking statements. Such forward-looking statements: are necessarily based upon a number of estimates and assumptions that, whilst considered reasonable by Breaker, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements; and may include, among other things, statements regarding targets, estimates and assumptions in respect of metal production and prices, operating costs and results, capital expenditures, ore reserves and mineral resources and anticipated grades and recovery rates, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions. Breaker disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words "believe", "expect", "anticipate", "indicate", "contemplate", "target", "plan", "intends", "continue", "budget", "estimate", "may", "will", "schedule" and other similar expressions identify forward-looking statements. All forward-looking statements made in this presentation are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements due to the inherent uncertainty therein.

Competent Persons Statement

The information in this report that relates to Exploration Targets and Exploration Results is based on information compiled by Tom Sanders who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Sanders is an officer of Breaker Resources NL and his services have been engaged by Breaker on an 80% of full time basis; he is also a shareholder in the Company. Mr Sanders has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Sanders consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Any geotechnical information communicated in the slides in this presentation relating to Breaker Resources' exploration results prior to 1 December 2013, and its assessment of exploration completed by past explorers, was first prepared and disclosed under the JORC Code 2004. It has not been updated since to comply with the JORC Code 2012 on the basis that the information has not materially changed since it was reported.



Breaker Overview

- ➤ Large greenfields gold discovery hidden by thin transported cover 100km east of Kalgoorlie
- Validated by 85,000m of RC/diamond drilling*

Hole_ID	Interval @ g/t Au	From	Includes
BBRC0166	7m @ 61.78	59m	4m @ 105.04
BBRC0142	24m @ 7.75	9m	18m @ 10.15
BBRC0111	19m @ 7.56	49m	4m @ 32.00
BBRC0329	9m @ 53.29	31m	4m @ 119.24
BBRC0297	28m @ 6.01	40m	12m @ 11.2

- ➤ Four drill rigs underway (2 diamond and 2 RC)
 - ...resource drilling started in February 2017
 - ...maiden resource planned for MarQ 2018
- Infill drilling results indicate continuity & compelling open pit and underground mining potential
 - ...strong recoveries from preliminary metallurgy
- Obvious scale 2.2km long & "open" in 556km² area

A rare discovery of quality and scale in a low risk mining jurisdiction



Strong upside based on early stage of deposit "cycle", 100% ownership and tight capital structure




What does it look like?

Sulphide lodes and stockwork...this style of gold deposit usually extends at depth to the limits of economic mining. We are starting to see this.



Sulphide lode 3.86g/t Au (BBRC0012; 193m-194m)



Visible gold in grey quartz vein (38.2g/t Au) (BBRD0056 - 8m @ 5.25g/t Au)



BRB Corporate Overview

Building shareholder value via discovery and development of new gold systems

Board/Senior Management

Tom Sanders Executive Chairman

Mike Kitney Non-Executive Director

Mark Edwards Non-Executive Director

Michelle Simson Company Secretary

Alastair Barker Exploration Manager

Capital Structure

➤ Issued Securities 145m fully paid shares (5.7m part paid shares; 8.4m unlisted options)

Market capitalisation \$80m (\$0.55/share)

CashStrong share register

\$15.5m (30 September 2017)


Directors 17% Funds ~30%





Lake Roe Gold Project Setting

Lake Roe Gold Project Location



- Located between two large gold deposits, 100km east of Kalgoorlie, WA
- Large tenement holding (+550km², 100%-owned, our core focus)
 Thin cover (typically 5-10m), minor historical exploration, dormant for ~20 years
- Geological Setting

Between two major shear zones that converge

Dolerite in domal geometry between two large gold deposits

✓

Associated lamprophyre

✓ Extensive alteration


✓

- Mineralisation Style
 Gold in sulphide lodes/stockwork in thick fractionated dolerite
 ...the dominant mineralisation style and host rock in WA
 (analogies with St Ives, Golden Mile, Paddington, White Foil)
- ▼ Two operating gold plants within ~60km



Domal Gold Trap & Current Drilling Status

RC - Downhole Average Gold (ppb)*




- Primary gold discovered in March 2016
 85,000m of RC/diamond drilling completed
- Resource drilling started in February 2017
 40m x 20m drill pattern; seven rounds of assay results
- No outcrop (transported cover) so we use shallow aircore geochemical drilling to guide deeper RC drilling
- It works...three discoveries from first three RC programs (now one 2.2km-long discovery in an 8km-long gold system)
- Many wide-spaced intersections along strike and at depth indicate that the 2.2km discovery zone is likely to grow
- Main focus on resource drilling (4 drill rigs) but doing selective step-out drill holes to gradually open things up ...no drilling yet outside recent MLA by BRB (550km² to go)



Long Section – How big is 2.2km?

Looking at the Bombora discovery "side-on" (to the west)



- Big enough to fit a well-known ore deposit inside it (twice)
- Deep reconnaissance drilling starting to highlight long-term underground mining potential




BBDD0020 - 7.5m @ 9.03g/t gold* (new lode "floating in space"; our deepest hit)




Infill Drilling/Metallurgy Lowering Project Risk



Quartz-biotite-albite-sulphide altered quartz dolerite (cf. Junction gold deposit, St Ives)



Lamprophyre dykes present over 8km – deep mantle connection (cf. Golden Mile, Darlot)



Granophyric quartz dolerite precursor, weakly altered (cf. Golden Mile/Junction Dolerite)




Able to pan gold in sulphide-rich zones

- Infill drilling is showing good continuity between sections (significantly de-risks any mining)
- Infill drilling is starting to define the mineralisation controls
- Metallurgy (strong results)
 Baseline Enviro (imminent)
 Hydro (imminent)
 LIDAR RL survey (done)



First Infill RC Results 2.2km Bombora

RC - Downhole Average Gold Previous Two Quarters (June 2017 quarter in red, March 2017 quarter in blue*)



March/June 2017 quarter results*

➤ Seeing good gold intersections over 2.2km distance at shallow depth...outstanding open pit potential


Hole_ID	Interval @ g/t Au	From	Includes
BBRC0166	7m @ 61.78	59m	4m @ 105.04
BBRC0142	24m @ 7.75	9m	18m @ 10.15
BBRC0111	19m @ 7.56	49m	4m @ 32.00
BBRC0329	9m @ 53.29	31m	4m @ 119.24
BBRC0297	28m @ 6.01	40m	12m @ 11.2
BBRC0194	54m @ 2.38	5m	11m @ 5.82
BBRC0201	37m @ 3.44	115m	12m @ 3.53
BBDD0006	21.3m @ 5.10	46.4m	12.7m @ 7.07
BBRC0110	27m @ 3.86	21m	14m @ 6.87
	1		1
	Open pit cut-off		Underground cut-off
	(plus 0.2g/t Au)		(plus 1.0 g/t Au)

High-grade gold is persistently present at higher cut-off grades creating open pit/underground mining optionality



Latest Infill RC Results 2.2km Bombora

RC - Downhole Average Gold September 2017 Quarter



September 2017 quarter results*


■ More gold at increasing depth with RC drilling

Hole No.	Interval @ g/t	From	Includes
BBRC0644	27m @ 12.37	120m	13m @ 24.48
BBRC0452	20m @ 3.29	140m	16m @ 4.06
BBRC0379	14m @ 4.23	95m	3m @ 15.65
and	7m @ 5.2	117m	5m @ 7.03
BBRC0390	24m @ 2.24	132m	7m @ 4.29
BBRC0487	44m @ 3.37	60m	13m @ 9.00
BBRC0457	12m @ 7.15	140m	4m @ 20.95
BBRC0450	10m @ 3.36	37m	5m @ 6.31
and	16m @ 2.23	100m	8m @ 3.97
BBRC0530	32m @ 1.38	76m	8m @ 3.22

- Strong results at depth from reconnaissance DD drilling
 7.5m @ 9.03g/t Au (300m below surface)
- ★ High-grade gold at depth has scope to add multiples to any resource constrained by limits of open pit mining



Infill Drilling - Cross Section 6601700N




▼ Shallow/high-grade*

Hole_ID	Interval @ g/t Gold	From	Includes
BBRC0142	24m @ 7.75	9m	18m @ 10.15
BBRC0110	27m @ 3.86	21m	14m @ 6.87
BBRC0111	19m @ 7.56	49m	4m @ 32.00
and	9m @ 1.75	63m	3m @ 3.68
BBDD0006	21.3m @ 5.10	46.4m	12.7m @ 7.07

- ➤ Excellent open pit or u/g mining configuration (high-grade lode is 100m wide and continuous)
- General pattern is steep mineralised faults with flat/west-dipping linking faults (better gold where steep and flat structures)
- Good continuity between sections translates to compelling mining potential



Infill Drilling - Cross Section 6601760N




- Similar pattern to previous cross-section (and through remainder of deposit)
- ▼ Good continuity/width*

Hole No.	Interval @ g/t	From	Includes
BBRC0269	14m @ 5.20	57m	3m @ 21.74
BBRC0449	29m @ 1.39	17m	7m @ 2.78
BBRC0268	19m @ 1.42	9m	8m @ 2.42
BBRC0267	9m @ 5.19	21m	4m @ 10.89
BBRC0452	20m @ 3.29	140m	16m @ 4.06
and	20m @ 1.18	168m	-
BBRC0450	16m @ 2.23	100m	4m @ 24.10

- Improving at depth (influenced by plunge)
- Obvious open pit and u/g mining potential



Infill Drilling - Cross Section 6601100N




- ➤ Flat, 100m-wide, very high-grade "reef" (and some steeper lodes)
- Good continuity/shallow/high-grade*

Hole_ID	Interval @ g/t Gold	From	Includes
BBRC0166	7m @ 61.78	59m	4m @ 105.04
BBRC0183	11m @ 7.77	44m	6m @ 13.67
BBRC0098	18m @ 2.60	54m	6m @ 6.26
BBRC0165	12m @ 3.14	48m	5m @ 6.99
BBRC0100	3m @ 4.73	51m	1m @ 9.48
and	25m @ 1.36	74m	1m @ 12.36
BBDD0008	3.55m @ 7.77	50.45m	1.93m @ 13.83

▼ Obvious mining potential



Infill Drilling - Cross Section 6601200N



- Larger scale to show deeper drilling
- ★ High-grade gold lodes intersected up to 300m deep*

Hole No.	Interval @ g/t gold	From (m)	Includes Interval @ g/t gold
BBDD0020	5.7m @ 3.53	152.30	4m @ 4.83
	2.5m @ 10.24	236.50	-
	7.5m @ 9.03	315.75	5.25m @ 12.71
BBDD0010	5.8m @ 2.68	151m	2m @ 6.2
	5.3m @ 7.07	244m	3.8m @ 9.29

- Underground potential is wide open
- More deep reconnaissance diamond drilling planned



Preliminary Metallurgy

Comminution (oxide/fresh)



Gravity/Cyanide Extraction (oxide/fresh)




Results point towards low processing costs

- Modest ore hardness
 Ball mill work index <16kWh/t for fresh mineralisation</p>
- Gold recoveries of 95% (oxide and fresh)
- Up to 39% of gold recoverable by gravity concentration
- Rapid gold leach kinetics(90% gold recovery within 4hrs after gravity gold recovery)
- Low reagent consumption
 No deleterious elements
- **▼** Further results pending



The Strike Potential

RC - Downhole Average Gold



2.2km-long discovery is big but we expect it to get bigger

▼ Wide-spaced intercepts to north and south of discovery indicate good potential to extend footprint of resource drilling*


Hole_ID	Interval @ g/t Au	From	Includes
BBRC0406	6m @ 4.50	130m	4m @ 5.97
BBRC0405	20m @ 1.40	24	4m @ 3.25
BBRC0201	36m @ 3.44	115m	12m @5.23
BBRC0014	14m @ 1.43	26m	3m @ 4.62
BBRC0015	3m @ 8.53	31m	1m @ 24.91
BBRC0116	13m @ 1.43	73m	3m @ 4.87
BAC1061	12m @ 1.46	39m	4m @ 3.19

- Main focus currently on resource drilling (4 drill rigs)
 - ...but we do selective step-out exploration drill holes
- ➤ Will soon start to open up remaining 550km² of project



The Lateral Potential - Claypan Shear

Geochemical Drilling South of Bombora Discovery (Aircore drill holes coded by downhole ave. gold)




- ➤ Bombora gold system extends to the east near "Claypan Shear" (mineralisation style unclear)
- Many unexplained intersections (many end-of-hole)*
 7m @ 2.58g/t (incl. 1m @ 16.12g/t)
 4m @ 1.59g/t EOH (incl. 2m @ 5.55g/t)
 6m @ 1.34g/t (incl. 1m @ 4.95g/t)
- ➤ Can interpret multiple zones of gold mineralisation based on average downhole gold (inside +50ppb EOH halo)
- ▼ Reconnaissance RC planned (DecQ 2017)



Long Section - the Depth Potential

Looking at the Bombora discovery "side-on" (to the west)



- ★ Limited deep reconnaissance has confirmed long-term UG potential (but still very early)
- High-grade gold at depth has scope to add multiples to any resource constrained by limits of open pit mining



BBDD0020 - 7.5m @ 9.03g/t gold* (new lode "floating in space"; our deepest hit)




In Summary

- Lake Roe is a rare greenfields gold discovery of scale with high-grade mining optionality 100km from Kalgoorlie
- Large gold systems tend to keep "giving"...after ~85,000m of RC and diamond drilling this is what we are seeing
- Infill drilling showing good continuity between sections with excellent metallurgy (significant de-risking)
- Compelling open pit <u>and</u> underground mining potential (many discoveries don't have this)
- Strong upside growth expected based on:
 - resource build strike extensions
 - depth extensionsfurther discovery

(assisted by tight capital structure, 100% project ownership, strong news flow/aggressive drilling and early stage of project "cycle")

Quality and scale in a premier location





The Year Ahead

Multiple share price catalysts with strong news flow

- Resource build in 2.2km discovery zone (4 drill rigs)
 - ...targeting maiden JORC Resource in March 2018 Quarter
 - ...resource drilling will continue well after this
- Selective drilling to scope strike and lateral extensions
 - ...follow-up drilling of reconnaissance drill intersections planned
- Selective drilling to start scoping depth extensions
 - ...eg. 7.5m @ 9.0g/t gold step-out hit 300m from surface
 - ...potential to add multiples to any shallow (open pit) resource
 - ...more deep drilling planned
- ➤ Will start to investigate the balance of the 550km² tenement holding
- ▼ More metallurgy; baseline enviro and water assessments





